

## WEST Search History

DATE: Friday, October 13, 2006

<u>Hide?</u>	<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>
		<i>DB=PGPB,USPT; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L3	L2 and isoprenoid.clm.	2
<input type="checkbox"/>	L2	tobacco.clm. and hyoscyamus.clm.	6
<input type="checkbox"/>	L1	tobacco and hyoscyamus	444

END OF SEARCH HISTORY

\*\*\*\*\* STN Columbus \*\*\*\*\*

FILE 'HOME' ENTERED AT 15:34:20 ON 13 OCT 2006

=> file agricola biosis embase caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'AGRICOLA' ENTERED AT 15:34:33 ON 13 OCT 2006

FILE 'BIOSIS' ENTERED AT 15:34:33 ON 13 OCT 2006

Copyright (c) 2006 The Thomson Corporation

FILE 'EMBASE' ENTERED AT 15:34:33 ON 13 OCT 2006

Copyright (c) 2006 Elsevier B.V. All rights reserved.

FILE 'CAPLUS' ENTERED AT 15:34:33 ON 13 OCT 2006

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

=> s hyoscyamus and tobacco and isoprenoid(w)synthase and plant

L1 1 HYOSCYAMUS AND TOBACCO AND ISOPRENOID(W) SYNTHASE AND PLANT

=> d l1 ibib ab

L1 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1997:696645 CAPLUS

DOCUMENT NUMBER: 127:343337

TITLE: Isoprenoid synthase fusion  
proteins and their use in the preparation of novel  
isoprenoids

INVENTOR(S): Chappell, Joseph; Back, Kyoungwhan

PATENT ASSIGNEE(S): University of Kentucky, USA

SOURCE: PCT Int. Appl., 47 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9738703	A1	19971023	WO 1997-US5986	19970411
W:	AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG			
US 5824774	A	19981020	US 1996-631341	19960412
CA 2250712	AA	19971023	CA 1997-2250712	19970411
ZA 9703108	A	19971104	ZA 1997-3108	19970411
AU 9727264	A1	19971107	AU 1997-27264	19970411
EP 904095	A1	19990331	EP 1997-921142	19970411
EP 904095	B1	20020904		
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, PT, IE, SI, FI			
BR 9708650	A	19990803	BR 1997-8650	19970411
AP 808	A	20000229	AP 1997-971	19970411
W:	BW, GM, GH, KE, LS, MW, SD, SZ, UG, ZM, ZW			

JP 2000508899	T2	20000718	JP 1997-537218	19970411
IN 186316	A	20010804	IN 1997-DE947	19970411
EP 1229122	A2	20020807	EP 2002-9895	19970411
EP 1229122	A3	20021009		

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, PT, IE, SI, FI

AT 223225	E	20020915	AT 1997-921142	19970411
TW 509724	B	20021111	TW 1997-86104693	19970411
PT 904095	T	20021231	PT 1997-921142	19970411
ES 2132046	T3	20030316	ES 1997-921142	19970411
CZ 294613	B6	20050216	CZ 1998-3179	19970411
US 6072045	A	20000606	US 1998-134699	19980814
KR 2000005385	A	20000125	KR 1998-708111	19981012
HK 1017275	A1	20030207	HK 1999-102647	19990622
US 2004078840	A1	20040422	US 2003-717500	20031121

PRIORITY APPLN. INFO.:

US 1996-631341	A	19960412
EP 1997-921142	A3	19970411
WO 1997-US5986	W	19970411
US 1998-134699	A3	19980814
US 2000-514513	A1	20000228
US 2000-576057	A1	20000523

AB Fusion proteins of enzymes of isoprenoid synthesis that include functional domains from different sources are described for use in the manufacture of novel isoprenoids that may be of agricultural, pharmaceutical, com., or industrial use. The enzymes may be mono-, di-, or sesquiterpene synthases or sterol synthases. Specifically, examples of fusion proteins of isoprenoid synthases of tobacco (5-epi-aristolochene synthase) and Hyoscyamus (vetispiradiene synthase) are described. A series of domain-exchange fusion proteins of these two enzymes were prepared by standard methods and manufactured by expression of the genes in Escherichia coli. This allowed the identification of the domains contributing the formation of specific end-products. The synthesis of novel isoprenoids was observed